L Number	Hits	Search Text	DB	Time stamp
1	33	dhcp with server with table	USPAT	2004/05/06 19:49
2	7	dhcp with server with client with table	USPAT	2004/05/06 18:52
3	7	dhcp with server with client with table with address	USPAT	2004/05/06 18:52
4	25	(dhcp with server with table) and client and address	USPAT	2004/05/06 19:49
5	18	((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)	USPAT	2004/05/06 19:49
6	10	(dhcp with server with table) same client same address	USPAT	2004/05/06 19:55
7	3	((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)	USPAT	2004/05/06 19:50
8	41	(address with client with (table or file or database)) same server same dhcp	USPAT	2004/05/06 20:01
9	23	((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))	USPAT	2004/05/06 19:56
10	464	(address with client with (table or file or database or record) with server)	USPAT	2004/05/06 20:02
11	421	((address with client with (table or file or database or record) with server) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))	USPAT	2004/05/06 20:02
12	602	(address with client with (table or file or database or record) with server)	USPAT	2004/05/06 20:02

C:\APPS\EAST\Workspaces\DHCP amend.wsp

| 13 | 559 | ((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address))))) | USPAT | 2004/05/06 20:03 |
| 14 | 221 | (((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))) and allocat$4 | USPAT | 2004/05/06 20:05 |

C:\APPS\EAST\Workspaces\DHCP amend.wsp

| 15 | 16 | (((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))) same allocat$4 | USPAT | 2004/05/06 20:03 |
| 16 | 163 | (((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))) and allocat$4 and load | USPAT | 2004/05/06 20:06 |

17	138	(((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))) and allocat$4 and load and (balanc$4 or distribut$4)	USPAT	2004/05/06 20:06
18	52	(((address with client with (table or file or database or record) with server)) not ((dhcp with server with table) (dhcp with server with client with table) (dhcp with server with client with table with address) ((dhcp with server with table) and client and address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) ((dhcp with server with table) same client same address) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)) ((address with client with (table or file or database)) same server same dhcp) (((address with client with (table or file or database)) same server same dhcp) not ((dhcp with server with client with table with address) (((dhcp with server with table) and client and address) not (dhcp with server with client with table with address)) (((dhcp with server with table) same client same address) not (dhcp with server with client with table with address)))))) and allocat$4 and (load with (balanc$4 or distribut$4))	USPAT	2004/05/06 20:06
–	12	"boot server" and (load near2 balanc$4)	USPAT	2004/04/19 16:44
–	9	"boot servers" and (load near2 balanc$4)	USPAT	2004/04/19 16:47
–	12	("boot server" and (load near2 balanc$4)) ("boot servers" and (load near2 balanc$4))	USPAT	2004/04/19 16:44
–	0	server and (load near2 balanc$4) and pxe and dhcp	USPAT	2004/04/19 16:47
–	0	(boot adj server) and (load near2 balanc$4) and pxe and dhcp	USPAT	2004/04/19 16:51
–	5	(boot adj server) and (load near2 balanc$4) and pxe and dhcp	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:50

C:\APPS\EAST\Workspaces\DHCP amend.wsp

-	8	(boot adj server) and (load near2 balanc$4) and dhcp	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 18:52
-	3	((boot adj server) and (load near2 balanc$4) and dhcp) not ((boot adj server) and (load near2 balanc$4) and pxe and dhcp)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:50
-	0	((boot adj server) with (load or balanc$4)) and pxe and dhcp	USPAT	2004/04/19 16:51
-	4	((boot adj server) with (load or balanc$4))	USPAT	2004/04/19 16:55
-	12	((boot adj server) with (load or balanc$4))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:55
-	31	(boot adj server) and dhcp and pxe	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 20:09
-	10	(boot adj server).ab. and dhcp and pxe	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 18:53
-	0	(boot adj server).ab. and dhcp and pxe	USPAT	2004/04/19 18:53
-	6	(boot adj server) and dhcp and pxe	USPAT	2004/04/19 19:05
-	7	("5812819" | "5826027" | "5848233" | "5872968" | "5875306" | "5884024" | "6421777").PN.	USPAT	2004/04/19 18:54
-	0	((load near2 balanc$4) with dhcp) and pxe	USPAT	2004/04/19 19:06
-	2	((load near2 balanc$4) with dhcp)	USPAT	2004/04/19 19:09
-	4	((load near2 balanc$4) same dhcp)	USPAT	2004/05/03 18:03
-	0	((load near2 balanc$4) and dhcp) and pxe	USPAT	2004/04/19 19:08
-	0	((load near2 balanc$4) with pxe)	USPAT	2004/04/19 19:09
-	0	((load near2 balanc$4) same pxe)	USPAT	2004/04/19 19:10
-	0	((load near2 balanc$4) and pxe)	USPAT	2004/04/19 19:09
-	74	((load near2 balanc$4) and dhcp)	USPAT	2004/04/19 19:22
-	3	((load near2 balanc$4) same pxe)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 19:11
-	14	((load near2 balanc$4) same dhcp)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 19:11
-	122	load with server with table	USPAT	2004/04/19 19:23
-	3	(load with server with table).ab.	USPAT	2004/04/19 19:22
-	74	(load with server with table) and balanc$4	USPAT	2004/04/19 19:57
-	9	("5517617" | "5606665" | "5875296" | "5936939" | "6006260" | "6076108" | "6098093" | "6185598" | "6279001").PN.	USPAT	2004/04/19 19:50
-	94	(client with table) and dhcp	USPAT	2004/04/19 19:57
-	30	((client with table) and dhcp.ab.) ((client with table) same dhcp)	USPAT	2004/04/19 19:57
-	11	(client with table) and dhcp.ab.	USPAT	2004/04/19 21:07
-	6	(client with table with address) and dhcp.ab.	USPAT	2004/04/19 21:11

-	32	((boot adj server) or pxe) with address	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 21:31
-	34	((boot adj server) or pxe) with address	USPAT	2004/04/19 20:10
-	26	((boot adj server) or pxe) near2 address	USPAT	2004/04/19 21:04
-	28	((boot adj server) or pxe) near3 address	USPAT	2004/04/19 20:10
-	5	("5842011" | "5974547" | "6317826" | "6430687" | "6463530").PN.	USPAT	2004/04/19 20:15
-	4	6317826.URPN.	USPAT	2004/04/19 20:19
-	1	("5862348").PN.	USPAT	2004/04/19 21:04
-	3	(("6317826") or ("6684327") or ("6560706")).PN.	USPAT	2004/04/19 21:08
-	30	(client with table) same dhcp	USPAT	2004/04/19 21:11
-	140	client with table with address with server	USPAT	2004/04/19 21:12
-	12	(client with table with address with server) and dhcp	USPAT	2004/04/19 21:12
-	7	(client with table with address with server).ab.	USPAT	2004/04/19 21:14
-	25	(client with table with address with server) and (load near2 balanc$4)	USPAT	2004/04/19 21:20
-	0	((client adj2 table) with address with server) and (load near2 balanc$4)	USPAT	2004/04/19 21:20
-	11	((client adj2 table) with address with server)	USPAT	2004/04/19 21:22
-	0	"client allocation table"	USPAT	2004/04/19 21:28
-	1468	"allocation table"	USPAT	2004/05/03 19:28
-	168	address with "allocation table"	USPAT	2004/04/19 21:28
-	11	(address with "allocation table") and server and client	USPAT	2004/04/19 21:25
-	38	(address with "allocation table") and server	USPAT	2004/04/19 21:24
-	27	((address with "allocation table") and server) not ((address with "allocation table") and server and client)	USPAT	2004/04/19 21:24
-	2	(address with "allocation table") and dhcp	USPAT	2004/04/19 21:25
-	0	"server allocation table"	USPAT	2004/04/19 21:28
-	1	"client allocation table"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 21:28
-	4	((boot adj server) or pxe) with address with client	USPAT	2004/04/19 21:31
-	16	((boot adj server) or pxe) with address with client	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 21:37
-	3	((boot adj server) or pxe) with address with table	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 21:37
-	378	"address table" and (client with server)	USPAT	2004/05/03 17:44
-	54	"address table" and (client with server).ab.	USPAT	2004/05/03 18:05
-	4	"address table".ab. and (client with server).ab.	USPAT	2004/05/03 18:00
-	5	"address table".ab. and (client and server).ab.	USPAT	2004/05/03 17:50

C:\APPS\EAST\Workspaces\DHCP amend.wsp

-	19	("5511112" | "5550984" | "5708654" | "5732137" | "5757924" | "5774652" | "5802285" | "5884024" | "5905779" | "5909549" | "6003137" | "6012088" | "6023563" | "6115376" | "6189042" | "6202156" | "6233616" | "6256739" | "6314531").PN.	USPAT	2004/05/03 17:47
-	48	"address table" with client	USPAT	2004/05/03 19:24
-	2	("address table" with client).ab.	USPAT	2004/05/03 17:51
-	2	("address table" with client) and (load with balanc$)	USPAT	2004/05/03 17:51
-	0	"address table".ab. and (client with server).ab.	US-PGPUB	2004/05/03 18:01
-	10	"address table".ab. and (client with server)	US-PGPUB	2004/05/03 18:01
-	14	((load near2 balanc$4) same dhcp)	US-PGPUB	2004/05/03 18:03
-	96	least with loaded with server	USPAT	2004/05/03 18:06
-	11	(least with (load or loaded) with server).ab.	USPAT	2004/05/03 18:36
-	9	(least with (load or loaded) with server) and dhcp	USPAT	2004/05/03 18:06
-	263	(least with (load or loaded) with server)	USPAT	2004/05/03 18:37
-	212	(least with (load or loaded) with server) and client and request	USPAT	2004/05/03 18:39
-	86	(least with (load or loaded) with server) same client same request	USPAT	2004/05/03 18:49
-	31	(least near4 (load or loaded) near4 server) same client same request	USPAT	2004/05/03 19:19
-	2	((least with (load or loaded) with server) same client same request) and dhcp	USPAT	2004/05/03 18:49
-	1	("6684327").PN.	USPAT	2004/05/03 19:19
-	16	"client address table"	USPAT	2004/05/03 19:27
-	16	"client address table" and server	USPAT	2004/05/03 19:24
-	4510	"address table"	USPAT	2004/05/03 19:27
-	2	"allocation table" with client with address	USPAT	2004/05/03 19:28
-	48	"address table" with client with address	USPAT	2004/05/03 19:29
-	48	"address table" with client	USPAT	2004/05/03 19:29
-	46	("address table" with client)and server	USPAT	2004/05/03 19:29
-	32	("address table" with client) not "client address table"	USPAT	2004/05/03 19:29

C:\APPS\EAST\Workspaces\DHCP amend.wsp